ELSEVIER

Fluid Phase Equilibria 108 (1995) 321–322

FLUID PHASE EQUILIBRIA

Contents of Volume 108 (1995)

Theoretical papers

Phase equilibria for enzyme-catalyzed reactions in supercritical carbon dioxide
A. Chrisochoou, K. Schaber and U. Bolz (Stuttgart, Germany) 1–14

A generalized equation of state for liquid density calculation
L. Hong-Yi and L. Guojie (Shanghai, China) 15–25

An equation of state/chemical association model for fluorinated hydrocarbons and HF
C.-P.C. Kao, M.E. Paulaitis, G.A. Sweany and M. Yokozeki (Delaware, USA) 27–46

Chain length dependence of the critical density of organic homologous series
G.M. Kontogeorgis, A. Fredenslund (Lyngby, Denmark) and D.P. Tassios (Zographos, Greece) 47–58

Capabilities and limitations of the Wong–Sandler mixing rules
P. Coutsikos, N.S. Kalospiros and D.P. Tassios (Athens, Greece) 59–78

An enthalpy-based cubic equation of state mixing rule for cross-prediction of excess thermodynamic properties of hydrocarbon and halogenated refrigerant mixtures
C.-L. Peng, F.P. Stein (Bethlehem, PA, USA) and A.S. Gow (West Haven, CT, USA) 79–101

Experimental papers

Vapor pressures of 12 alkylcyclohexanes, cyclopentane, butylcyclopentane and trans-decahydronaphthalene down to 0.5 Pa. Experimental results, correlation and prediction by an equation of state
I. Mokbel (Villeurbanne, France), E. Rauzy (Marseille, France), H. Loiseleur, C. Berro and J. Jose (Villeurbanne, France). 103–120

Experimental values and analysis of mixing heats of the binary mixtures formed by alkyl benzoates and n-alkanes
J. Ortega and M.A. Postigo (Las Palmas, Spain) 121–133

Linear alkanoates + aromatic hydrocarbon binary mixtures: new excess enthalpy measurements and disquac analysis of thermodynamic properties
S. Delcros (Aubière, France), E. Jiménez (La Coruña, Spain), L. Romaní (Orense, Spain), A.H. Roux, J.-P.E. Grolier (Aubière, Spain) and H.V. Kehiaian (Paris, France) 135–151

Excess enthalpies of ethanol–propanal binary mixtures at 298.15 and 318.15 K
J.A.R. Renuncio, A. Cabañas, B. Coto, C. Menduiña and C. Pando (Madrid, Spain) 153–158

Measurement of the vapor pressure of 2,2,2-trifluoroethanol and tetraethylene glycol dimethyl ether by static method
S.K. Chaudhari, K.R. Patil, J. Allepús and A. Coronas (Tarragona, Spain) 159–165

The effect of the molecular shape on the enthalpic behaviour of liquid mixtures: cyclic hydrocarbons in heptane and tetrachloromethane
B. Marongiu, S. Porcedda (Cagliari, Italy), L. Lepori and E. Matteoli (Pisa, Italy) 167–183

Isobaric VLE data for the binary systems dibromomethane with isomeric butanols at 40.0 and 101.3 kPa
V. Rodríguez, C. Lafuente, J. Santafé, F.M. Royo and J.S. Urieta (Zaragoza, Spain) 185–198

Vapour–liquid equilibria. VII: The ternary system hexane–methanol–acetone at 313.15 K
P. Oracz and S. Warycha (Warsaw, Poland) 199–211

The solubility of methane in triethylene glycol monomethyl ether
A. Henni and A.E. Mather (Edmonton, Canada) 213–218

Liquid–liquid–vapor phase equilibrium behavior of binary xenon + 1-alkanol mixtures
T.A. Gricus, K.D. Luks and C.L. Patton (Tulsa, OK, USA) 219–229

Liquid–liquid equilibrium of the five component system of n-hexane–n-heptane–toluene–o-xylene–propylene carbonate
A.B.S.H. Salem and E.Z. Hamad (Dhahran, Saudi Arabia) 231–241

0378-3812/95/$09.50 © 1995 Elsevier Science B.V. All rights reserved

Phase behavior of random and ABC triblock methacrylic polyampholytes with poly(vinyl alcohol) in water: effect of pH and salt
C.S. Patrickios (Cambridge, MA, USA), W.R. Hertler (Wilmington, DE, USA) and T.A. Hatton (Cambridge, MA, USA) . 243–254
Excess enthalpies and excess heat capacities of the ternary system ethanol + N,N-dimethylformamide + tetrahydrofuran at 298.15 K
G. Conti, P. Gianni, L. Lepori and E. Matteoli (Pisa, Italy). 255–268
Salt effect on liquid–liquid equilibrium of the methyl isobutyl ketone–acetic acid–water system at 35 ° C
M. Govindarajan and P.L. Sabarathinam (Annamalainagar, India) 269–292
High pressure vapor–liquid and vapor–liquid–liquid equilibria for systems containing supercritical carbon dioxide, water and furfural
T. Sako, T. Sugeta, N. Nakazawa, K. Otake, M. Sato (Tsukuba, Japan), K. Ishihara and M. Kato (Ibaraki, Fukushima, Japan). 293–303
Analysis of the electrostatic potential difference in aqueous polymer two-phase systems
A. Pfennig and A. Schwerin (Darmstadt, Germany) 305–315

Subject Index 317–318

Author Index 319

Contents of Volume. 321–322